jct JOURNAL OF COATINGS TECHNOLOGY

Annual Index

Volume 57
Numbers 720–731
January—December, 1985

Journal of Coatings Technology
1985 Annual Index

Keyword Subject Index

Prepared by Technical Information
Systems Committee

Additives

Hydroxyethyl cellulose, hydrophobically modified, as thickener for water-based coatings ..... Aug., 63
Stearic/methacrylic microgel, as stabilizer for acrylic/urethane nonaqueous dispersions ..... Feb., 67
Stearic/methacrylic microgel, as stabilizer for automotive high-solids basecoat ..... Nov., 41

Adhesives and Sealants

Bond strength, polymethyl methacrylate—and polystyrene—aluminum ..... July, 37

Application and Finishing

Industrial drying of water-based coatings, simulated model drying curve ..... Mar., 55
Low/reduced emission automotive coatings ..... Sept., 101
Roll-splatter, latex coatings ..... Mar., 27

Biological Materials and Processes

Microbiological deterioration, anaerobic bacteria in water-based coatings ..... Nov., 33
Mildew growth on coated surfaces in environmental test chamber ..... Dec., 59
Slime film (biomass) formation on antifouling paints ... June, 35

Chemical Materials and Processes

Blocked catalysts and blocked reagents, kinetics of curing/crosslinking ..... June, 43
Mercaptan chain transfer agents, for acrylic polymerization ..... Sept., 83
N-(2-hydroxyethyl) amides, reactions ..... July, 51
Orthosilicate (alkoxysilane) alcoholysis, kinetics ..... Jan., 55
Titanium alkoxides (Tyzor DC) as crosslinking agents for urethane/methacrylate polymers ..... Oct., 47
Water/toluene diisocyanate reaction kinetics ..... Mar., 61

Coatings

Antifouling, slime film (biomass) formation ..... June, 35
Automotive, color ..... Jan., 67
Automotive, low/reduced emission ..... Sept., 101
Paint appeal, prediction from color, gloss and DOI ..... Jan., 39
Pipeline, epoxy and epoxy-primed polyethylene ..... Nov., 25

Acrylic, durability measurement ..... Mar., 37
Acrylic, high-solids ..... Sept., 83
Acrylic—MAGME, effect of polymer α-methyl groups on crosslinking/cure ..... Dec., 49
Acrylic/urethane (IPN) ..... Apr., 23
Acrylic/urethane, high-solids, automotive, stearic-methacrylic microgel additive for ..... Feb., 67
Alkyd, heat aging/degradation/alcoholysis in butanol ..... Apr., 29
Corrosion-resistant, primer, with French process zinc oxide ..... Dec., 67
Corrosion-resistant, primer, water-based ..... July, 71
Corrosion-resistant, spatial sampling procedure for coating defect evaluation ..... July, 43
Corrosion-resistant, spatial statistical analysis for coating aging tests ..... May, 31, 39, 49
Emulsion, interior flat, formulation above CPVC, statistical model ..... Oct., 37
Epoxide, effect of solvent on internal stress ..... Sept., 93
Epoxy, chromatography ..... Apr., 47
Epoxy, fusion-bonded, for steel pipe ..... Nov., 25
Fungicidal, mildew susceptibility ..... Dec., 59
High-solids, acylurea oligomer ..... Jan., 61
High-solids, automotive, stearic-methacrylic microgel additive for ..... Nov., 41
High-solids, curing/crosslinking kinetics, blocked reagents and catalysts ..... June, 43
Latex, roll-splatter ..... Mar., 27
Magnetic powder, pigment dispersion ..... Aug., 49
Magnetic powder, PVC and particle density ..... Feb., 49
Polyester, heat aging/degradation/alcoholysis in butanol ..... Apr., 29
Polyether (branched)/ester, water-based ..... Feb., 73
Polyethylene, epoxy-primed, for steel pipe ..... Nov., 25
Urethane, water-toluene diisocyanate reaction ..... Mar., 61
Water-based, anaerobic bacteria ..... Nov., 33
Water-based, drying process ..... Mar., 55
Water-based, exterior, effect of cosolvents on wood interactions ..... July, 65; Aug., 83
Water-based, exterior, effect of polymers on wood interactions ..... Oct., 27
Water-based, oligoesters, hydrolytic/package stability ..... Apr., 35
Zinc-rich, alcoholysis kinetics of orthosilicates (alkoxysilanes) ..... Jan., 55

Coatings—Liquid Properties and Tests

Dispersion and rheology, magnetic pigment powders . . . Aug., 49
Package/hydrolytic stability, water-based oligoesters . . . Apr., 35
Pigment flocculation and dispersion, flocculation gradient monitor . . . May, 75
Pigment suspension rheology, three-roll mill dispersion . . . Aug., 73
Rheology and roll-splatter, latex paints . . . Mar., 27
Rheology of water-based coatings, effect of cellulosic thickeners . . . Aug., 63
Viscosity, spring relaxation method . . . Aug., 57
Viscosity, water-based coatings, effect of anaerobic bacteria . . . Nov., 33

Coatings Industry

Barriers to innovation . . . July, 79
Color and appearance measurement . . . Mar., 47
Company management methods . . . Feb., 33
Inventions (electrocoating) . . . Apr., 55
Research and development . . . Feb., 23

Color and Appearance

Automotive coatings . . . Jan., 67
Color matching, computerized, automatic weighing-in machine . . . Dec., 77
Gloss and DOI measurements and paint appeal . . . Jan., 39
Gloss loss vs photostability/photoinitiation rate (ESR) as coating measure . . . Mar., 37
Measurement . . . Mar., 47
Opacity and dependent scattering, math model for TiO_2 paints . . . Feb., 39
Solution spectrophotometry, organic pigments . . . Jan., 49

Computer Applications

Computerized color matching, automatic weighing-in machine . . . Dec., 77
Crosslinking/cure, acrylic-MAGME polymers . . . Dec., 49
Multiple regression (FORTRAN), interior flat emulsion paint formulation above CPVC . . . Oct., 37
Solubility parameter and solvent dissolving power, vinyl resins . . . May, 57

Cure and Curing

Acrylic-MAGME coatings, effect of α-methyl groups in polymer on crosslinking/cure . . . Dec., 49
Blocked reagent and blocked catalyst cure/crosslinking kinetics, math model . . . June, 43
Epoxide film internal stress, effect of solvent . . . Sept., 93
Epoxy resin with diamines, DSC and DMA studies . . . Sept., 71
N-2(hydroxyethyl)amides, reactions . . . July, 51
Urethane-methacrylate crosslinking, with titanium alkoxides (Tyzor DC) . . . Oct., 47

Exposures and Weathering

Accelerated, humidity, spatial statistical analysis for coating aging tests . . . May, 31, 39, 49
Accelerated, tropical chamber, fungicidal coating mildew susceptibility . . . Dec., 59
Accelerated and outdoor, water-based corrosion-resistant primer . . . July, 71
Sea water, immersion, antifouling paint slime film (biomass) . . . June, 35

Film Degradation/Deterioration and Tests

Coating aging tests and defects, evaluation by spatial statistical analysis . . . May, 31, 39, 49
Coating defect evaluation by spatial sampling procedure . . . July, 43
Photostability/photoinitiation rate (ESR) vs gloss loss, as coating durability measure . . . Mar., 37

Film Formation

Water-based coatings, industrial drying, simulated model drying curve . . . Mar., 55

Film Properties (Dry Film) and Tests

Dynamic mechanical properties, internal stress and shrinkage of epoxide films, effect of solvent . . . Sept., 93
Mechanical properties and morphology, acrylic-urethane . . . Apr., 23
Mildew defacement/growth, fungicidal coating, tropical test chamber . . . Dec., 59
Physical properties, fusion-bonded epoxy and epoxy-primed polyurethane pipeline coatings . . . Nov., 25

Formulation

Coatings solids, spreading rate, and dry or wet film thickness (charts) . . . Jan., 73
Corrosion-resistant primer, with French process ZnO . . . Dec., 67
Emulsion, interior flat paint, above CPVC, math/computer program . . . Oct., 37
Solubility parameter and solvent dissolving power, vinyl polymers, computer estimation . . . May, 57
Solubility parameter of homologs, calculation . . . May, 69
Water-based coatings, effect of cellulosic thickeners on rheology . . . Aug., 63
Water-based oligoesters, hydrolytic/package stability . . . Apr., 35

Health and Safety

Low/reduced emission automotive coatings . . . Sept., 101

Instrumental Analysis and Methods

Brookfield viscometer, spring relaxation method for viscosity, math model . . . Aug., 57
Differential scanning calorimetry (DSC), crosslinking/cure of acrylic-MAGME polymers . . . Dec., 49
Differential scanning calorimetry (DSC), diamine curing of epoxy resin . . . Sept., 71
Dynamic mechanical analysis (DMA), diamine curing of epoxy resin . . . Sept., 71
Electron spin resonance (ESR), coating photoinitiation/photostability rate . . . Mar., 37
Flocculation gradient monitor, pigment flocculation and dispersion . . . May, 75
Gas and gel permeation chromatography, alkyd resin/butanol reactions . . . Apr., 29
Gas chromatography, computerized, crosslinking/cure of acrylic/MAGME polymer . . . Dec., 49
Mass spectrometry, alkyd resin/butanol reactions . . . Apr., 29

Mercury porosimetry, magnetic particle density and PVC ..... Feb., 49
Nuclear magnetic resonance (NMR), urethane-methacrylic crosslinking with titanium alkoxides (Tyzor DC) ..... Oct., 47
Reverse phase liquid chromatography, epoxy resin ..... Apr., 47
Scanning electron microscopy (SEM), acrylic-urethane micrographs ..... Apr., 23
Scanning electron microscopy (SEM), antifouling paint slime film (biomass) ..... June, 35
Size exclusion chromatography (SEC), branched polyether-ester oligomers ..... Feb., 73
Size exclusion chromatography (SEC), epoxy resin ..... Apr., 47
Thermomechanical analyzer (TMA), glass transition temperature, acrylic-urethane polymer ..... Apr., 23

Interfacial Phenomena

Bond strength, polymethyl methacrylate- and polystyrene-aluminum ..... July, 37
TiO_2 pigment dispersion stability, effect of pH and surfactants ..... Feb., 55
Wood cell—water-based coating interaction and drying time ..... July, 65; Aug., 83; Oct., 27

Manufacturing Operations and Plant

Magnetic pigment powder dispersion ..... Aug., 49
Three-roll mill, pigment dispersion and rheology ..... Aug., 73

Mathematical Models

Coatings solids, spreading rate and dry or wet film thickness (charts) ..... Jan., 73
Curing/crosslinking kinetics, blocked reagents and blocked catalysts ..... June, 43
Dependent pigment scattering, TiO_2 paints ..... Feb., 39
Kinetics of alcoholysis, orthosilicates (alkoxy silanes) ..... Jan., 55
Logistic growth, magnetic pigment powder dispersion ..... Aug., 49
Pigment dispersion, three-roll mill ..... Aug., 73
Viscosity and density, methacrylate oligomers ..... Nov., 45
Viscosity and glass transition temperature, methacrylate oligomers ..... June, 51
Viscosity, shear rate dependent, from spring relaxation data ..... Aug., 57

Pigments and Extenders

Copper phthalocyanine, synthesis and properties ..... Oct., 57
Dispersion and flocculation, dry and wet paint film, flocculation gradient monitor ..... May, 67
Isoindoline, synthesis and properties ..... June, 67
Magnetic powder, dispersion ..... Aug., 49
Magnetic powder, particle density and PVC ..... Feb., 49
Organic, identification by solution spectrophotometry ..... Jan., 49
Titanium dioxide, dependent scattering paints (model) ..... Feb., 39
Titanium dioxide, dispersion stability ..... Feb., 55
Zinc oxide, French process, in corrosion-resistant primers for steel ..... Dec., 67

Polymers and Resins

Acrylic, mercaptan chain transfer agents ..... Sept., 83
Acrylic-MAGME, effect of polymer α-methyl groups on crosslinking/cure ..... Dec., 49
Acrylic-urethane ..... Apr., 23
Acyl urea oligomers ..... Jan., 61
Alkyd, heat aging/degradation/alcoholysis in butanol ..... Apr., 29
Butyl methacrylate, viscosity and glass transition ..... June, 51
Emulsion polymerization ..... June, 73
Epoxy, chromatography ..... Apr., 47
Epoxy, curing with diamines, DSC and DMA studies ..... Sept., 71
Hydroxyethyl cellulose, hydrophobically modified, as thickeners for water-based coatings ..... Aug., 63
N-(2-hydroxyethyl)amides, reactions ..... July, 51
Methacrylate oligomer, viscosity and density ..... Nov., 45
Methyl methacrylate, viscosity and glass transition ..... June, 51
Polyester, heat aging/degradation/alcoholysis in butanol ..... Apr., 29
Polyether (branched)/ester oligomers, for water-based coatings ..... Feb., 73
Polymethyl methacrylate—Aluminum bond strengths ..... July, 37
Polystyrene—Aluminum bond strengths ..... July, 37
Solubility parameters ..... May, 69
Stearic-methacrylic microgel stabilizer ..... Feb., 85; Nov., 41
Urethane, water-toluene diisocyanate reaction kinetics ..... Mar., 61
Urethane-methacrylic, crosslinking with titanium alkoxides (Tyzor DC) ..... Oct., 47
Vinyl, solubility parameter and solvent dissolving power, computer estimation ..... May, 57
Viscosity and density, methacrylate oligomers, math model ..... Nov., 45
Viscosity and glass transition temperature, methacrylate oligomers, math model ..... June, 51
Water-based, oligoesters, hydrolytic/package stability ..... Apr., 35

Research and Development

Coatings industry, barriers to innovation ..... July, 79
Coatings industry, outside influences ..... Feb., 23
Inventions (electrocoating) ..... Apr., 55

Solvents and Plasticizers

Butanol, heat aging/degradation/alcoholysis of alkyds and polyesters ..... Apr., 29
Dissolving power and solubility parameter, computer estimation ..... May, 57
Effect on epoxide film internal stress ..... Sept., 93
Effect on methacrylate oligomer viscosity and density ..... Nov., 45
Effect on methacrylate oligomer viscosity and glass transition temperature ..... June, 51
Solubility parameter, homologs, calculation ..... May, 69
Water and solvent evaporation from water-based coatings, simulation model drying curve ..... Mar., 55

Statistical Methods

Monte Carlo simulation, coating defects evaluation ..... July, 43
Multiple regression, interior flat emulsion paint formulation above CPVC ..... Oct., 37
Regression analysis, paint appeal prediction ..... Jan., 39
Spatial statistical analysis, coating defects ..... May, 31, 39, 49

Substrates or Surfaces to Be Coated

Aluminum—polymer bond strengths ..... July, 37
Wood cell—water-based coating interactions ..... July, 65; Aug., 83; Oct., 27

Alphabetical Listing of Papers

A

Acylurea Reactive Oligomers for High-Solids Coatings—G.K. Noren, S.C. Lin, and E. Eldridge, Jan., p. 61.

Analysis and Prediction of Roll-Spatter from Latex Paints—D.F. Massouda, Mar., p. 27.

B

Barriers to Innovation in the Organic Coatings Industry—M.A. Glaser, July, p. 79.

Branched Polyether/Ester Oligomers for Water-Reducible Coatings—T. Misev, F.N. Jones, and S. Gopalakrishnan, Feb., p. 73.

C

The Challenge of Automotive Color . . . A Personal Epilogue—S. Panush, Jan., p. 67.

Chromatographic Characterization of Epoxy Resins—D.R. Scheuing, Apr., p. 47.

Coating Compositions Based on Acrylic-Polyurethane Interpenetrating Polymer Networks—Detroit Society for Coatings Technology, Apr., p. 23.

Color and Appearance Characterization for the Coatings Industry—F.W. Billmeyer, Jr., Mar., p. 47.

A Convenient Preparation of Acrylic-Urethane Nonaqueous Dispersions—A.N. Theodore and M.S. Chattha, Feb., p. 67.

D

Dependent Scattering Theory: A New Approach to Predicting Scattering in Paints—S. Fitzwater and J.W. Hook III, Feb., p. 39.

Dispersion and Classification Effects in a Three-Roll Mill—Y. Murakami, G. Chung, K. Kawaguchi, T. Hirose, and Y. Akimoto, Aug., p. 73.

Dispersion of (Magnetic) Pigment Powders in Organic Liquids—H.F. Huisman, Aug., p. 49.

Dissolving Power of Solvents and Solvent Blends for Polymers—P.L. Huyskens, M.C. Haulait-Pirson, L.D. Brandts Buys, and X.M. Van der Borght, May, p. 57.

DSC and DMA Analysis of the Curing of a Liquid Epoxy Resin with Diamines—A. Toussaint, P. Cuypers, and L. D'Hont, Sept., p. 71.

E

Effect of α-Methyl Groups on Room Temperature Crosslinking in Acrylic Polymers Containing MAGME Monomers—H.R. Lucas, Dec., p. 49.

Effect of Catalysts on the Kinetics of the Water-Toluene Diisocyanate Reaction—D. Ihms, J.O. Stoffer, D.F. Schneider, and C. McClain, Mar., p. 61.

Effect of Solvent and Solvent Concentration on the Internal Stress of Epoxide Resin Coatings—M. Shimbo, M. Ochi, and K. Arai, Sept., p. 93.

Effect of Solvent Choice on Water-Based Coating/Wood Interactions—P. Lucas and L. Smith, July, p. 65.

Equations for Calculating Homolog Solubility Parameters. II: Simple Equations Based on Chain Length—C.H. Fisher, May, p. 69.

The Evolution of Reduced Emissions Coatings—J.L. Jameson, Sept., p. 101.

F

French Process Zinc Oxide Primers for Hand-Cleaned Structural Steel—W.C. Johnson, Dec., p. 67.

H

Hydrolytic Stability of Oligoesters in Simulated Water-Reducible Coating Formulations—K.L. Payne, F.N. Jones, and L.W. Brandenburger, Apr., p. 35.

I

Identification of Organic Pigments in Paints—R. Kumar, F.W. Billmeyer, Jr., and M. Saltzman, Jan., p. 49.

Interactions Between Water-Borne Polymer Systems and the Wood Cell Wall—W.B. Smith, W.A. Côté, J.F. Siau, and R.C. Vasishth, Oct., p. 27.

K

Kinetics of Crosslinking Using Blocked Reagents and Blocked Catalysts—W.J. Muizebelt, June, p. 43.

Kinetics of the Alcoholysis of Orthosilicates—D.J. Oostendorp and J.O. Stoffer, Jan., p. 55.

L

Low Temperature Crosslinking Studies: Insertion Reactions Involving Titanium Alkoxides and Isocyanate Containing Polymers—J.C. Graham and T.W. Wang, Oct., p. 47.

M

Meeting the Challenge of Managing Change—R.E. Pajor, Feb., p. 33.

Microcomputer-Controlled Automatic Weighing-in Machine for Computer Color Matching—Y. Ito, Dec., p. 77.

N

New Cellulosic Polymers for Rheology Control of Latex Paints—K.G. Shaw and D.P. Leipold, Aug., p. 63.

A New Computational Method for Determining the Shear Rate Dependent Viscosity of Coatings—H.H. Kuo, Aug., p. 57.

New Isoindoline Pigments for High Quality Applications—J. von der Crone, June, p. 67.

New Nonaqueous Dispersions for High-Solids Base Coat/Clear Coat Paints—M.S. Chattha and J.C. Cassatta, Nov., p. 41.

O

Objective Predictors of Paint Appeal—G.W. Cermak and M.H. Verma, Jan., p. 39.

Observations on Mildew Susceptibility of Painted Surfaces in Tropical Chamber Exposure—M. Greenberger, A.M. Kaplan, and B.J. Wiley, Dec., p. 59.

P

Physical and Chemical Considerations on Copper Phthalocyanine—C.C. Wanser, Oct., p. 57.

Physical Properties of Epoxy-Primed Polyethylene and Epoxy Pipe Coating—R.E. Sharpe and R.J. Dick, Nov., p. 25.

Physico-Chemical Factors in the Performance of Polymer-Metal Bonds—S. Ponce, D. Gamet, and H.P. Schreiber, July, p. 37.
Prediction of the Service Life of Coatings on Steel. Part I: Procedure for Quantitative Evaluation of Coating Defects—J.W. Martin and M.E. McKnight, May, p. 31.
Prediction of the Service Life of Coatings on Steel. Part II: Quantitative Prediction of the Service Life of a Coating System—J.W. Martin and M.E. McKnight, May, p. 39.
Prediction of the Service Life of Coatings on Steel. Part III: Categorizing the Performance of Coating Systems on the Basis of Their Corrosion and Blister Patterns—J.W. Martin and M.E. McKnight, May, p. 49.
Preparation of Acrylic Oligomers for High Solids Coatings Using Hydroxy-Functional Mercaptan Chain Transfer Agents—R.A. Gray, Sept., p. 83.
Presence and Effects of Anaerobic Bacteria in Water-Based Paints. II—Effects on Paint Ingredients—R.A. Oppermann, Nov., p. 33.

R

A Rapid Method of Predicting Coating Durability Using Electron Spin Resonance—J.L. Gerlock, D.R. Bauer, L.M. Briggs, and R.A. Dickie, Mar., p. 37.
Reactions of n-Butanol with an Alkyd Resin During Heat-Aging: An Analytical Study—J.J. Engel and T.J. Byerley, Apr., p. 29.
Reaction of N-(2-Hydroxyethyl) Amido Compounds—Z.W. Wicks, Jr., M.R. Appelt, and J.C. Soleim, July, p. 51.
Reading the Signals of Society: Technology Push or Market Pull—T.J. Miranda, Feb., p. 22.

S

Selection of a Spatial Sampling Procedure for Evaluating the Defect Area of a Coated Steel Panel—D.P. Bentz and J.W. Martin, July, p. 43.
Slime Films on Antifouling Paints. Short-Term Indicators of Long-Term Effectiveness—M.G. Robinson, B.D. Hall, and D. Voltolina, June, p. 35.
Some Useful Conversion Charts—H.E. Hill, Jan., p. 73.
Stabilization of Aqueous Oxide Pigment Dispersions—W.H. Morrison, Jr., Feb., p. 55.
Statistical Model for Emulsion Paint Above the Critical PVC—D.A. Holtzen and W.H. Morrison, Jr., Oct., p. 37.
Study of Interactions Between Wood and Water-Soluble Organic Solvents—W.B. Smith, W.A. Côté, J.F. Siau, and R.C. Vasishth, Aug., p. 83.

U

Use of a Flocculation Gradient Monitor for Quantifying Titanium Dioxide Pigment Dispersion in Dry and Wet Paint Films—D.J. Rutherford and L.A. Simpson, May, p. 75.
Use of the Characteristic Drying Curve to Analyze Paint Drying Processes—I. Silventoinen, Mar., p. 55.

V

Viscosity of Methacrylate Oligomer Solutions—Z.W. Wicks, Jr. and L.G. Fitzgerald, Nov., p. 45.
Viscosity of Oligomer Solutions—Z.W. Wicks, Jr., G.F. Jacobs, I-C. Lin, E.H. Urruti, and L. Fitzgerald, June, p. 51.
Volume Concentrations of (Magnetic) Pigments—H.F. Huisman, Feb., p. 49.

W

Water-Borne Corrosion Inhibitive Primers Evolve to Be Competitive—Golden Gate Society for Coatings Technology, July, p. 71.
What a Paint Formulator Should Know About Emulsion Polymerization—B.C. Henshaw, June, p. 73.

Author index

A

Akimoto, Y.—See Murakami, Y.
Appelt, M.R.—See Wicks, Z.W. Jr.
Arai, K.—See Shimbo, M.

B

Bauer, D.R.—See Gerlock, J.L.
Bentz, D.P. and Martin, J.W.—Selection of a Spatial Sampling Procedure for Evaluating the Defect Area of a Coated Steel Panel, July, p. 43.
Billmeyer, F.W. Jr.—See Kumar, R.
Billmeyer, F.W. Jr.—Color and Appearance Characterization for the Coatings Industry, Mar., p. 47.
Brandenburger, L.W.—See Payne, K.L.
Brandts Buys, L.D.—See Huyskens, P.L.
Brewer, G.E.F.—The Seven Stages of an Invention, Apr., p. 55.
Briggs, L.M.—See Gerlock, J.L.
Byerley, T.J.—See Engel, J.J.

C

Cassatta, J.C.—See Chattha, M.S.
Cermak, G.W. and Verma, M.H.—Objective Predictors of Paint Appeal, Jan., p. 39.
Chattha, M.S.—See Theodore, A.N.
Chattha, M.S. and Cassatta, J.C.—New Nonaqueous Dispersions for High Solids Base Coat/Clear Coat Paints, Nov., p. 41.
Chung, G.—See Murakami, Y.
Côté, W.A.—See Smith, W.B.
Cuypers, P.—See Toussaint, A.

D

Dick, R.J.—See Sharpe, R.E.
Dickie, R.A.—See Gerlock, J.L.
D'Hont, L.—See Toussaint, A.

E

Eldridge, E.—See Noren, G.K.
Engel, J.J. and Byerley, T.J.—Reactions of n-Butanol with an Alkyd Resin During Heat-Aging: An Analytical Study, Apr., p. 29.

F

Fisher, C.H.—Equations for Calculating Homolog Solubility Parameters. II: Simple Equations Based on Chain Length, May, p. 69.
Fitzgerald, L.G.—See Wicks, Z.W. Jr.
Fitzwater, S. and Hook, J.W. III—Dependent Scattering Theory: A New Approach to Predicting Scattering in Paints, Feb., p. 39.

G

Gamet, D.—See Ponce, S.

GERLOCK, J.L., BAUER, D.R., BRIGGS, L.M., and DICKIE, R.A.—A Rapid Method of Predicting Coating Durability Using Electron Spin Resonance, Mar., p. 37.
GLASER, M.A.—Barriers to Innovation in the Organic Coatings Industry, July, p. 79.
GOPALAKRISHNAN, S.—See Misev, T.
GRAHAM, J.C. and WANG, T.-W.—Low Temperature Crosslinking Studies: Insertion Reactions Involving Titanium Alkoxides and Isocyanate Containing Polymers, Oct., p. 47.
GRAY, R.A.—Preparation of Acrylic Oligomers for High Solids Coatings Using Hydroxy-Functional Mercaptan Chain Transfer Agents, Sept., p. 83.
GREENBERGER, M., KAPLAN, A.M., and WILEY, B.J.—Observations on Mildew Susceptibility of Painted Surfaces in Tropical Chamber Exposure, Dec., p. 59.

H

HALL, B.D.—See Robinson, M.G.
HAULAIT-PIRSON, M.C.—See Huyskens, P.L.
HENSHAW, B.C.—What a Paint Formulator Should Know About Emulsion Polymerization, June, p. 73.
HILL, H.E.—Some Useful Conversion Charts, Jan., p. 73.
HIROSE, T.—See Murakami, Y.
HOLTZEN, D.A. and MORRISON, W.H. JR.—Statistical Model for Emulsion Paint Above the Critical PVC, Oct., p. 37.
HOOK, J.W. III—See Fitzwater, S.
HUISMAN, H.F.—Dispersion of (Magnetic) Pigment Powders in Organic Liquids, Aug., p. 49.
HUISMAN, H.F.—Volume Concentrations of (Magnetic) Pigments, Feb., p. 49.
HUYSKENS, P.L., HAULAIT-PIRSON, M.C., BRANDTS BUYS, L.D., and VAN DER BORGHT, X.M.—Dissolving Power of Solvents and Solvent Blends for Polymers, May, p. 57.

I

IHMS, D., STOFFER, J.O., SCHNEIDER, D.F., and MCCLAIN, C.—Effect of Catalysts on the Kinetics of the Water-Toluene Diisocyanate Reaction, Mar., p. 61.
ITO, Y.—Microcomputer-Controlled Automatic Weighing-in Machine for Computer Color Matching, Dec., p. 77.

J

JACOBS, G.F.—See Wicks, Z.W. Jr.
JAMESON, J.L.—The Evolution of Reduced Emissions Coatings, Sept., p. 101.
JOHNSON, W.C.—French Process Zinc Oxide in Primers for Hand-Cleaned Structural Steel, Dec., p. 67.
JONES, F.N.—See Misev, T.
JONES, F.N.—See Payne, K.L.

K

KAPLAN, A.M.—See Greenberger, M.
KAWAGUCHI, K.—See Murakami, Y.
KUMAR, R., BILLMEYER, F.W. JR., and SALTZMAN, M.—Identification of Organic Pigments in Paints, Jan., p. 49.
KUO, H-H.—A New Computational Method for Determining the Shear Rate Dependent Viscosity of Coatings, Aug., p. 57.

L

LEIPOLD, D.P.—See Shaw, K.G.
LIN, I-C.—See Wicks, Z.W. Jr.
LIN, S.C.—See Noren, G.K.
LUCAS, H.R.—Effect of α-Methyl Groups on Room Temperature Crosslinking in Acrylic Polymers Containing MAGME Monomers, Dec., p. 49.
LUCAS, P. and SMITH, L.—Effect of Solvent Choice on Water-Based Coating/Wood Interactions, July, p. 65.

M

MARTIN, J.W.—See Bentz, D.P.
MARTIN, J.W. and MCKNIGHT, M.E.—Prediction of the Service Life of Coatings on Steel. Part I: Procedure for Quantitative Evaluation of Coating Defects, May, p. 31.
MARTIN, J.W. and MCKNIGHT, M.E.—Prediction of the Service Life of Coatings on Steel. Part II: Quantitative Prediction of the Service Life of a Coating System, May, p. 39.
MARTIN, J.W. and MCKNIGHT, M.E.—Prediction of the Service Life of Coatings on Steel. Part III: Categorizing the Performance of Coating Systems on the Basis of Their Corrosion and Blister Patterns, May, p. 49.
MASSOUDA, D.F.—Analysis and Prediction of Roll-Spatter from Latex Paints, Mar., p. 27.
MCCLAIN, C.—See Ihms, D.
MCKNIGHT, M.E.—See Martin, J.W.
MIRANDA, T.J.—Reading the Signals of Society: Technology Push or Market Pull, Feb., p. 22.
MISEV, T., JONES, F.N. and GOPALAKRISHNAN, S.—Branched Polyether/Ester Oligomers for Water-Reducible Coatings, Feb., p. 73.
MORRISON, W.H. JR.—See Holtzen, D.A.
MORRISON, W.H. JR.—Stabilization of Aqueous Oxide Pigment Dispersions, Feb., p. 55.
MUIZEBELT, W.J.—Kinetics of Crosslinking Using Blocked Reagents and Blocked Catalysts, June, p. 43.
MURAKAMI, Y., CHUNG, G., KAWAGUCHI, K., HIROSE, T., and AKIMOTO, Y.—Dispersion and Classification Effects in a Three-Roll Mill, Aug., p. 73.

N

NOREN, G.K., LIN, S.C., and ELDRIDGE, E.—Acylurea Reactive Oligomers for High-Solids Coatings, Jan., p. 61.

O

OCHI, M.—See Shimbo, M.
OOSTENDORP, D.J. and STOFFER, J.O.—Kinetics of the Alcoholysis of Orthosilicates, Jan., p. 55.
OPPERMANN, R.A.—Presence and Effects of Anaerobic Bacteria in Water-Based Paints. II—Effects on Paint Ingredients, Nov., p. 33.

P

PAJOR, R.E.—Meeting the Challenge of Managing Change, Feb., p. 33.
PANUSH, S.—The Challenge of Automotive Color . . . A Personal Epilogue, Jan., p. 67.
PAYNE, K.L., JONES, F.N., and BRANDENBURGER, L.W.—Hydrolytic Stability of Oligoesters in Simulated Water-Reducible Coating Formulations, Apr., p. 35.
PONCE, S., GAMET, D., and SCHREIBER, H.P.—Physico-Chemical Factors in the Performance of Polymer-Metal Bonds, July, p. 37.

R

ROBINSON, M.G., HALL, B.D., and VOLTOLINA, D.—Slime Films on Antifouling Paints. Short Term Indicators of Long-Term Effectiveness, June, p. 35.
RUTHERFORD, D.J. and SIMPSON, L.A.—Use of a Flocculation Gradient Monitor for Quantifying Titanium Dioxide Pigment Dispersion in Dry and Wet Paint Films, May, p. 75.

S

Saltzman, M.—See Kumar, R.
Scheuing, D.R.—Chromatographic Characterization of Epoxy Resins, Apr., p. 47.
Schneider, D.F.—See Ihms, D.
Schreiber, H.P.—See Ponce, S.
Sharpe, R.E. and Dick, R.J.—Physical Properties of Epoxy-Primed Polyethylene and Epoxy Pipe Coatings, Nov., p. 25.
Shaw, K.G. and Leipold, D.P.—New Cellulosic Polymers for Rheology Control of Latex Paints, Aug., p. 63.
Shimbo, M., Ochi, M., and Arai, K.—Effect of Solvent and Solvent Concentration on the Internal Stress of Epoxide Resin Coatings, Sept., p. 93.
Siau, J.F.—See Smith, W.B.
Silventoinen, I.—Use of the Characteristic Drying Curve to Analyze Paint Drying Processes, Mar., p. 55.
Simpson, L.A.—See Rutherford, D.J.
Smith, L.—See Lucas, P.
Smith, W.B., Côté, W.A., Siau, J.F., and Vasishth, R.C.—Interactions Between Water-Borne Polymer Systems and the Wood Cell Wall, Oct., p. 27.
Smith, W.B., Côté, W.A., Siau, J.F., and Vasishth, R.C.—Study of Interactions Between Wood and Water-Soluble Organic Solvents, Aug., p. 83.
Soleim, J.C.—See Wicks, Z.W. Jr.
Stoffer, J.O.—See Ihms, D.
Stoffer, J.O.—See Oostendorp, D.J.

T

Theodore, A.N. and Chattha, M.S.—A Convenient Preparation of Acrylic-Urethane Nonaqueous Dispersions, Feb., p. 67.
Toussaint, A., Cuypers, P., and D'Hont, L.—DSC and DMA Analysis of the Curing of a Liquid Epoxy Resin with Diamines, Sept., p. 71.

U

Urruti, E.H.—See Wicks, Z.W. Jr.

V

Van der Borght, X.M.—See Huyskens, P.L.
Vasishth, R.C.—See Smith, W.B.
Verma, M.H.—See Cermak, G.W.
Voltolina, D.—See Robinson, M.G.
von der Crone, J.—New Isoindoline Pigments for High Quality Applications, June, p. 67.

W

Wang, T.-W.—See Graham, J.C.
Wanser, C.C.—Physical and Chemical Considerations on Copper Phthalocyanine, Oct., p. 57.
Wicks, Z.W. Jr., Appelt, M.R., and Soleim, J.C.—Reaction of N-(2-Hydroxyethyl) Amido Compounds, July, p. 51.
Wicks, Z.W. Jr. and Fitzgerald, L.G.—Viscosity of Methacrylate Oligomer Solutions: Effect of Carboxylic Acid Substitution, Nov., p. 45.
Wicks, Z.W. Jr., Jacobs, G.F., Lin, I-C., Urruti, E.H., and Fitzgerald, L.G.—Viscosity of Oligomer Solutions, June, p. 51.
Wiley, B.J.—See Greenberger, M.

Constituent Society Papers

Detroit Society for Coatings Technology—Coating Compositions Based on Acrylic-Polyurethane Interpenetrating Polymer Networks, Apr., p. 23.
Golden Gate Society for Coatings Technology—Water-Borne Corrosion Inhibitive Primers Evolve to Be Competitive, July, p.71.

jct

1984 BOUND VOLUMES

A limited number of bound volumes of the Journal of Coatings Technology are available for sale. These books make a handsome and lasting addition to any library. In addition to 1984, volumes for the years 1974, 1979, and 1980 are also available. Price—$50.00

Bound Volumes may be ordered from:

Federation of Societies for Coatings Technology
1315 Walnut Street
Philadelphia, Pennsylvania 19107
(215) 545-1506

Please make checks payable in U.S. funds.
Pennsylvania residents, please add 6% sales tax.